

Community Development REQUEST FOR PROPOSAL

OWNER:

MILLE LACS BAND OF OJIBWE

DATE ISSUED: May 30, 2018

43408 OODENA DRIVE

ONAMIA, MN 56359

BID DATE:

June 15, 2018

PROJECT:

2018 Zhingwaak 3rd Addition 4 Home Package - Onamia, MN

TO:

Qualified General Contractors

THIS IS NOT A CHANGE ORDER NOR A DIRECTION TO PROCEED WITH THE WORK DESCRIBED HEREIN.

RFP for 4 New Homes to be constructed at:
2549 Giizhik Circle (Lot 3, Block 1): H/C Butternut Garage Right
2511 Giizhik Circle (Lot 5, Block 1): Blue Spruce Garage Left
2331 Giizhik Circle (Lot 3, Block 3): Butternut Garage Right
2315 Giizhik Circle (Lot 4, Block 3): Poplar Garage Right
Zhingwaak Oodena 3rd Addition, Hinckley

The Mille Lacs Band of Ojibwe, Community Development office will be accepting sealed bids for construction of four new homes to be located along along Giizhik Circle on Lots 3 & 5, Block 1 and Lots 3 & 4, Block 3., all in the Zhingwaak Oodena 3rd Addition located in Hinckley, MN. Bids will be due Friday June 15, 2018 at 3:00 PM. Bids received will be opened and qualified by the Mille Lacs Band of Ojibwe on Monday June 18, 2018 at 8:30 AM.

A mandatory pre-bid site visit will be held on Thursday, June 7th at 2:30 pm. Directions to project site from Hinckley: Hwy 48 East to Pine County 15. County Road 15 South to Zhingob Avenue. Zhingob Avenue East to Giizhik Circle intersection. Turn right onto Giizhik Circle. We'll be starting at Lot 3, Block 1, which is 3rd lot on the right side of Giizhik.

General Notes:

- 1. It is the Contractors responsibility to identify any and all discrepancies in the scope of work, not meeting Industry Standards or that which is inconsistent with the International Residential Code (IRC), and Mille Lacs Band of Ojibwe 2016 MLB Project Specification Book.
- 2. All electrical wiring, apparatus and equipment for electric light, heat and power, technology circuits or systems shall comply with the rules of the Department of Commerce or the Department of Labor and Industry, as applicable, and be installed in conformity with accepted standards of construction for safety to life and property.
- 3. Contractor must reconnect all utilities, service panel or service feed. Also includes gas, propane. Include such equipment or materials identified in the pre-bid conference.
- 4. Contractor will secure all permits and fees.
- 5. Contractor is responsible for a thorough investigation of the scope of work.
- 6. Contractor will repair any damage to the property or structure created by the scope of work.
- 7. Contractor shall be responsible for all debris removal related to all work performed under this work scope.

8. NO WORK SHALL BE PERFORMED UNTIL ALL REQUIRED PERMITS HAVE BEEN ISSUED AND COPIES IN THE POSSESSION OF THE PROJECT COORDINATOR AND /OR MILLE LACS BAND BUILDING OFFICIAL.

COMMUNITY DEVELOPMENT WILL, TO THE GREATEST EXTENT FEASIBLE, GIVE PREFERENCE IN THE AWARD OF CONTRACT TO INDIAN ORGANIZATIONS AND INDIAN-OWNED ECONOMIC ENTERPRISES.

Work Scope Description:

Turn Key Construction, 2016 MLB Spec Book and Approved Bldg Drawings.

- Construct 4 new homes: 2549 Giizhik Circle (Lot 3, Block 1): H/C Butternut Garage Right;
 2511 Giizhik Circle (Lot 5, Block 1): Blue Spruce Garage Left; 2331 Giizhik Circle (Lot 3, Block 3): Butternut Garage Right; and 2315 Giizhik Circle (Lot 4, Block 3): Poplar Garage Right. See attached site plans and new home selection sheets for options.
 On all 4 homes:
 - a.) Furnace thermostat model to be installed will be Honeywell T6 Pro Series TH6210U2001.
 - b.) Contractor shall install either Certainteed or LP Smartside woodgrain finish trim board between lap siding and gable shakes to be painted as specified for each house.
 - c.) Contractor shall install Mid-America Mounting Blocks and Vents in Certainteed color specified for siding on each home. Mounting blocks shall be installed for all openings, j-channel will not be allowed to box any openings other than windows or doors.
 - d.) Contractor shall install #4 re-bar reinforcement @ 24" o.c. in garage slabs & exterior concrete; and #4 rebar @ 48" o.c. in each house slab.
 - e.) Simpson H25 hurricane ties shall be installed at every roof truss, one at each end.
 - f.) For homes requiring a sump pump, pumps shall never discharge directly onto exterior concrete; and contractor shall include cost of 25' extension for discharge with each installation.
 - g.) On foundations, aluminum coil stock must be sufficient width to extend a minimum of 6" below final grade.
- Excavate and install new frost footings. Excavate all material to footing depth and import
 clean sand fill material for backfilling per 2016 MLB Spec Book. Contractor is responsible for
 removal and export of any excess soils or fill quantities that cannot be used onsite.
- 3. Contractor shall include 500 extra blocks and 300 yards of extra fill used for foundation construction and backfill in their base bid. Unit costs submitted in Bid Alternate #1 shall be used to calculate credit back to Owner for unused Block and Fill; or cost of additional material. Note: these costs should include all associated materials, equipment and labor that would be necessary if the extra block and fill were utilized.
- 4. Silt fencing has been installed by Owner at perimeter of each building site.
- 5. Construction limits will be within the perimeter of existing silt fence surrounding the proposed home; however, permission may be granted by the Owner to go beyond. General Contractor shall be responsible for silt fence, storm drain protection, and street cleaning throughout construction. Additional tree removal and additional clearing may be required based on site conditions. This will be identified at the pre-bid site visit.
- 6. Clearing: Contractor shall provide any removal of trees and brush to clear:
 - a.) For 2549 Giizhik Circle, clear 30' along the left side of the home & 25' along the rear & right sides of the home. Keeping in line with each sides' clearing, all trees and brush should be removed in front of the home to the curb.
 - b.) For 2511 Giizhik Circle, clear 30' along the rear side of the home & 25' along the left & right sides of the home. Keeping in line with each sides' clearing, all trees and brush should be removed in front of the home to the curb.
 - c.) For 2331 & 2315 Giizhik Circle, clear 25' around perimeter of each home.
- d.) Submittals and Attachments:
 - a.) Pre-Bid Acknowledgement / Sign in sheet.
 - b.) All submittals shall be submitted within ten days of construction start.
 - c.) Contractor will provide a warranty outline with their proposal.
 - d.) Omissions or deletions will not be accepted without a written request indicating the reason why the omission or deletion is needed.

- e.) O&M manuals will be created by the contractor with all warranty cards and operator manuals inserted in a three ring binder before punch list.
- f.) [MLBO / CD] will choose all aesthetic types and colors.
- e.) Provide code required radon mitigation system. This may be achieved by utilizing a shallow interior drain tile / pvc system and rock bed, vented through the roof.
- f.) Foundation Drainage: Daylight drain tile to the exterior where grade allows, or provide sealed sump basket and pump. Provide a vertical stack cleanout on the highest point in the exterior drain tile system. Coordinate with Project Coordinator.
- g.) Contractor shall include all costs associated for municipal water and sewer service connections, and coordinate required inspections. Dan Gammon with MLB Public Works shall be contacted for inspections in addition to the City of Hinckley.
- h.) Bids must be honored for 90 calendar days.
- i.) Landscaping and final site work will be conducted by the Owner. General Contractor responsible for rough grading of the site to within three inches of final grade.
- j.) Driveway Construction: Contractor shall install 6" of class 5 material with 2" topping of reclaimed asphalt or crushed concrete. Driveways shall all be 20'x52' measuring from the edge of curb. Provide flared approach to each garage.
- k.) Contractor shall be responsible for connections to utilities. Electric-(East Central Energy), Natural Gas-(Minnesota Power), Water and Sewer and all costs associated. All utilities shall be the Contractor's responsibility until the home is officially turned over to the Mille Lacs Band of Ojibwe (punch list completion).
- I.) Include additional 911 sign and post to be installed at driveway approach.
- m.) Contractor shall include 0.5% TERO tax fee in base bid.
- n.) Contractor shall include the cost of 3 compaction tests per home in their base bid.
- o.) Contractor will be expected to start construction as soon as possible and as identified in the schedule mutually agreed upon by the Contractor and the Owner. The project schedule shall be established upon final approval of the MLBO Construction Contract and prior to the commencement of any work. At minimum, the contractor must complete each home's foundation, interior concrete, water and sewer connection prior to ground freeze-up. The expectation is that construction will be out of the ground by then; and able to continue through to substantial completion.

For Blue Spruce Model:

- 1. Construct the garage to be 24'x22' not 24' x 26', as shown on the plans.
- Model FW 44/ 45 shall be installed for tub/ shower, not WR 860/ 861 as listed in the 2016 Spec Book.

For Butternut Models:

1. Construct garages to be 22' x 22', as plans show.

For Poplar Model:

- 1. Install shakes and trim board on garage gable end and right gable end of home.
- Install grab bars with necessary reinforcement at toilet, tub/shower and shower stall locations.

For HC Unit:

- 1. Unit is to be full ADA, including lower countertops, roll under sink, ADA appliances, bathroom with grab bars, roll-in ceramic tile shower, etc.
- 2. For drop-in range, contractor shall install GE Model: JDS28DFWW

For All Elder Units:

 Install grab bars with necessary reinforcement at all toilet, tub/shower and shower stall locations.

For All 4 Lots:

1. For Bid Alternate #4: See pre-bid addendum #1 dated 5/30. Area to Received Final Grade & Seeding Further Defined: Entire cleared area within each lot's property lines extending to any tree lined perimeters; and to said property lines. Any disturbed areas on the lot. Also, this should include any area between the front of the home to the curb; and any other area which

would conceivably be mowed as a part of the yard. When final grade is complete, no areas should pond water with runoff directed away from the home. Final grade should be approximately 4" to the bottom of house siding with black dirt cover to be approximately 3" in depth. To simplify bidding, contractor shall include 80 cu yds of pulverized black dirt per lot in their base bid and provide unit cost to figure any differences. Unit cost must be inclusive of all materials and labor costs to supply, place and seed each cu yard. Contractor will be required to supply owner with load tickets to prove amount of black dirt delivered. Also, contractor will be required to call Project Coordinator for inspection and approval of their rough grade finish prior to any black dirt placement.

- 2. Bid alternates #2, 3 & 4: Provide the lump sum cost for all 4 homes. If awarded contract and the bid alternate is cost is accepted, contractor shall provide the cost per home breakdown and submit a new schedule for each home at that time.
- The schedule of values form for each home should be submitted with all the names of the subcontractors supplying labor for each item and each materials supplier for each item should also be listed.
- 4. Bonding is required for this project, as such a letter from your bonding company must be included with your bid stating that if you are awarded the contract for this project that they will issue the required bond. Any bid submitted without this letter will be disqualified.
- 5. Bidders must thoroughly review the building plans, plan changes, selection sheets, MLB 2016 Spec Book, project rfp and any pre-bid addendums issued to ensure that they have accounted for and included the cost of all specified materials, products, equipment and labor in their bid.
- 6. Contractor must be substantially complete with constructing all 4 homes no later than 180 days after date of final contract approval.

<u>Bid Alternate #1</u>: Provide unit costs for extra block and extra fill. 500 extra block and 300 extra yards of fill should be included in the base bid for each home. Unit costs submitted shall be used to calculate credit for unused materials or cost of additional material.

Bid Alternate #2: Provide lump sum cost difference to provide materials and labor for installing metal roofing on all 4 homes. Metal Sales Image II concealed fastened with minor ribs, 26 gauge, 16" panels. Use suitable high temperature underlayment. To be installed per manufacturer's specifications. With snow guards installed on each Blue Spruce home: 12' in length above rear patio & approx. 16' in length along side of garage; and on each Butternut home: 8' in length along side of garage.

Bid Alternate #3: Provide lump sum deduct amount for insulating each home's wall cavities with batt insulation. Each home's base bid should include the cost of insulating wall cavities with Knauf Jet Stream Ultra Blowing Wool Insulation.

Bid Alternate #4: Provide the lump sum added cost for contractor to provide materials and labor to complete final grade for all 4 homes, including pulverized black dirt & seeding per RFP and pre-bid addendum #1.

Specified Product Substitutions: All proposed product substitutions must be approved by the Project Coordinator 5 days prior to bid. Any approved substitutions, will be made available to all bidders.

Contacts:

Interested bidders shall contact either Carla Dunkley at 320-532-7429 or by email at carla.dunkley@millelacsband.com to be included on the bidder's list in the event that any addendums are issued for this project.

Mobilization:

- 1. The Contractor shall be capable of mobilizing his equipment and crews within seven days of the receipt of Notice to Proceed.
- 2. Contractor shall submit building schedule to Project Coordinator at the time of contract signature by the Contractor.

3. Contractor shall provide means and methods for all building phases of construction.

Bidding notes:

- 1. Submit proposal in lump sum (supply and install), not to exceed amount
- 2. All Contractors (including subcontractors) must comply with Davis Bacon wage requirements.
- 3. All Contractors must provide the following along with their bid submittal:
 - a. Completed and signed MLB Community Development Construction Bid Form, including a schedule of values from Monthly payment application for each of the homes.
 - b. A copy of Current MLB Vendor's License (or a copy of the submitted application)
 - c. Bonding Surety Letter
 - d. A copy of Current Insurance Certificate
 - e. A copy of Subcontractor/Material Supplier list
 - f. A copy of valid State of Minnesota Contractor's License
 - g. A copy of Authorized Signature Sheet (submitted with first bid submittal)
- 4. All Contractors must comply with all Mille Lacs Band of Ojibwe American Indian Employment requirements (see 18 MLBSA § 5). Contact Craig Hansen at (320) 532-4778.

All proposals MUST be mailed and labeled as follows:

Mille Lacs Band of Ojibwe Commissioner of Community Development Sealed bid: 2018 ZOIII 4 Home Package P.O. Box 509 Onamia, MN 56359

**Please note that the bids must be submitted via mail to the P.O. Box. FedEx and UPS will not deliver to a P.O. Box and the Onamia post office will not accept hand delivered items. Please plan accordingly to ensure the timely receipt of your bid submittal. **

**The Band reserves the right to reject any bid that it is unable to collect at the Onamia post office by the bid deadline date and time, provided that the Band has made diligent and reasonable efforts to collect the bid. The Band reserves this right even in the event that the bid has been postmarked before the deadline.

PROPOSALS NOT SUBMITTED IN THIS MANNER WILL BE REJECTED.

Licensing:

Firms must be licensed with the Mille Lacs Band of Ojibwe. A copy of this license (or the license application) must accompany each bid. Licensing process can take several weeks. If you are not currently licensed with the MLBO, please submit a copy of your license application along with your proposal. Contact Elizabeth Thornbloom at (320) 532-8274 or via email at EThornbloom@mlcv.com with questions regarding licensing and for the license application.

Permit and Contractor Requirements:

Permits: Contractors are responsible to attain all necessary permits for all work, including Mille Lacs Band of Ojibwe (MLBO) and the City of Hinckley.

Bonding Requirements: In accordance with 2016 MLB Project Specification Book. MLBSA Section 17 Procurement Statue Ordinance 03-06 states the following:

Section 17. Bonding

A. For all Band funded residential construction projects, a performance bond is required for contracts in excess of \$50,000.00. The performance bond shall be at a minimum twenty (20%) percent of the contract price, but not in excess of \$500,000.00.

COMMUNITY DEVELOPMENT/PROJECT MANAGEMENT RESERVES THE RIGHT TO REJECT ANY AND ALL BIDS FOR ANY REASON.

Bidding Requirements and Contract Forms

COMMUNITY DEVELOPMENT PROJECT MANAGEMENT

FY 2018 CONSTRUCTION BID FORM REQUIRED FOR ALL BIDS

FIRM NAME:	
JOB/PROJECT: 2018 ZOIII 4 Home Package	
Lot 3, Block 1 Butternut Garage Right LUMP SUM PRICE:	
(Written Value)	\$ (Dollar Amount)
Lot 5, Block 1 Blue Spruce Garage Left LUMP SUM PRICE:	
(Written Value)	\$ (Dollar Amount)
Lot 3, Block 3 Butternut Garage Right LUMP SUM PRICE:	
(Written Value)	\$(Dollar Amount)
Lot 4, Block 3 Poplar Garage Right LUMP SUM PRICE:	
(Written Value)	(Dollar Amount)
TOTAL LUMP SUM PRICE FOR ALL 4 HOMES:	
(Written Value)	\$ (Doliar Amount)
ALTERNATE #1: (Unit Costs: Extra Block, Extra Fill Placed)	
500 Extra Blocks @/per block = \$; 300 cu yards F	Fill @/per cu yd = \$
ALTERNATE #2: (Lump Sum Add for Metal Roofing)	
(Written Value)	(Dollar Amount)
ALTERNATE #3: (Lump Sum Deduct for Batt Insulation)	
(Written Value)	\$(Dollar Amount)
ALTERNATE #4: (Lump Sum Add for Final Grade)	
(Written Value)	\$ (Dollar Amount)
Acknowledgement of Addendum(s): 1) date 2)	date 3) date
BID GUARANTEE PERIOD: I agree to hold this bid open for a period of 90 days after the bid opening. I Purchase Order with the Mille Lacs Band of Ojibwe along with furnishing all	f this bid is accepted I agree to execute a Contract and/or a
TERO COMPLIANCE: I understand that this company, its subcontractors and all employees perfor Lacs Band TERO Compliance Regulations. Upon being informed that I will TERO Compliance Plans directly to the MLB TERO Office for review and approximately.	be awarded a contract for this project, I will submit all required
Acknowledgement of TERO Compliance:	_

ATTACHMENTS REQUIRED: Failure to provide any of these attachments will result in bid disqualification.

- o MLB BID FORM (MUST BE SIGNED)
 o MLBO VENDOR LICENSE
- COPY OF CURRENT INSURANCES

- LETTER FROM BONDING SURETY (REQUIRED)
 COPY OF MINNESOTA CONTRACTOR'S LICENSE
 SUB-CONTRACTOR LISTS (Include values)

NAME:	TITLE:	
SIGNATURE:	DATE:	
FIRM NAME:	TELEPHONE:	
ADDRESS:		
EMAIL ADDRESS:		

MILLE LACS BAND OF OJIBWE PRE-BID ADDENDUM #1

May 30, 2018

2018 ZOIII 4 Home Package

NOTE TO BIDDERS: This addendum shall take precedence over and become a part of the original request for proposal, plans and specifications.

All bidders must acknowledge receipt on the bid form.

For All 4 Lots:

- 1. Seeding specifications for final grade cost on Bid Alternate #4 are as follows. Product a. is for sites receiving more sun and product b. is for sites with more shade.
 - a. Seed product & specifications:
 - 1) Product: Residential Turf MNDOT mixture 25-151
 - 2) Recommended Application:

Only be planted in Spring between April 1st and June 1st or in the Fall between July 20th and September 20th.

Apply at minimum of rate of 120 pounds/acre.

3) Mixture Details:

J) WIIAIUIC DCIAIIS	·•						
25-151			High Maintenance Turf				
Common Name	Scientific Name	Rate (lb/ac)	Rate (kg/ha)	% of Mix (by weight)	Seeds/ sq ft		
Elite Kentucky bluegrass	Poa pratensis Elite	30.00	33.63	25.00%	957.30		
Low Maintenance Kentucky	Poa pratensis Low Maintenance	30.00	33.63	25.00%	957.30		
bluegrass Park Kentucky bluegrass	Poa pratensis Park	30.00	33.63	25.00%	957.30		
Perennial Ryegrass	Lolium perenne	20.40	22.87	17.00%	101.65		
red fescue Total	Festuca rubra	9.60 120.00	10.76 134.50	8.00% 100.00%	100.10 3073.65		

Purpose: Conventional turfgrass. Not salt, shade or drought tolerant. Requires more mowing,

fertilizer and water than the low maintenance turf mix.

Planting Area: Statewide

Combine all components when blending this mix.

- 4) Area to Received Final Grade & Seeding: Entire cleared area within each lot's property lines extending to any tree lined perimeters; and to said property lines. Any disturbed areas on the lot.
- 5) Final grade and seeding will not be considered as completed until turf establishment requirements have been satisfied. Requirements are as follows.

Perform all work necessary, including watering and fertilizing, to sustain an established turf until final acceptance, at no additional expense to the Department. Provide the filling, leveling, and repairing of any washed or eroded areas, as may be necessary. Established turf is defined as follows: 1. An established root system (leaf blades break before seedlings or sod can be pulled from the soil by hand). 2. No bare spots larger than one square foot. 3. No continuous streaks running perpendicular to the face of the slope. 4. No bare areas comprising more than 1% of any given 1,000 square foot area. 5. No deformation of the turf areas caused by mowing or other Contractor equipment.

5/30/2018

b. Seed product & specifications:

6) Product: Residential Turf MNDOT mixture 25-131

7) Recommended Application:

Only be planted in Spring between April 1st and June 1st or in the Fall between July 20th and September 20th.

Apply at minimum of rate of 220 pounds/acre.

8) Mixture Details:

25-131			Low Maintena	ance Turf	
Common Name	Scientific Name	Rate (lb/ac)	Rate (kg/ha)	% of Mix (by weight)	Seeds/ sq ft
Red fescue	Festuca rubra	64.00	71.73	29.09%	667.00
Chewing's	Festuca rubra	44.00	49.32	20.00%	458.60
Fescue	ssp. commutata				
Low Maintenance	Poa pratensis	36.00	40.35	16.36%	1148.70
Kentucky	Low				
bluegrass	Maintenance				
Hard fescue	Festuca trachyphylla	30.00	33.63	13.64%	389.10
Sheep Fescue	Festuca ovina	25.00	28.02	11.37%	304.22
Perennial	Lolium perenne	21.00	23.54	9.54%	104.60
Ryegrass	·				
Total		220.00	246.59	100.00%	3072.22

Purpose: Salt, shade or drought tolerant turfgrass. Requires less frequent mowing and less

fertilization than conventional turfgrass.

Planting Area: Statewide

Combine all components when blending this mix.


9) Area to Received Final Grade & Seeding: Entire cleared area within each lot's property lines extending to any tree lined perimeters; and to said property lines. Any disturbed areas on the lot.

10) Final grade and seeding will not be considered as completed until turf establishment requirements have been satisfied. Requirements are as follows.

Perform all work necessary, including watering and fertilizing, to sustain an established turf until final acceptance, at no additional expense to the Department. Provide the filling, leveling, and repairing of any washed or eroded areas, as may be necessary. Established turf is defined as follows: 1. An established root system (leaf blades break before seedlings or sod can be pulled from the soil by hand). 2. No bare spots larger than one square foot. 3. No continuous streaks running perpendicular to the face of the slope. 4. No bare areas comprising more than 1% of any given 1,000 square foot area. 5. No deformation of the turf areas caused by mowing or other Contractor equipment.

5/30/2018 2

^{*}End of Addendum #1 - May 30, 2018*



LOT INFORMATION: Lot 3, Block 1 of ZOIII; Fee ADDRESS (IF KNOWN): 2549 Giizhik Circle PLAN NAME: Butternut H/C Garage Right FOUNDATION TYPE: S.O.G. FULL BASEMENT LOOK-OUT WALK-OUT HOME TYPE: ELDER ADA ACCESSIBLE STANDARD/ RENTAL GARAGE: YES NO OPENER: YES NO PATIO SLAB SIZE: 12' x 12' WATER SOFTENER: YES NO DISHWASHER: YES NO* NO WASHER / DRYER: YES WINDOW TRIM: WOOD S/R W/ MARBLE SILL DUCTWORK: STANDARD TRANSITE IN-FLOOR OFF PEAK ELECTRIC: YES INTERIOR DOORS: FLUSH 6-PANEL INTERIOR FRAMES: STEEL WOOD BEDROOM CLOSET DOORS: S/R OPENING **DOORS** * If no dishwasher, install 24" removable base cabinet. Rough-in for dishwasher. **ROOM NAME FLOOR** BASE CONC. **VINYL PLANK** ZNS CERAMIC CARPET SHEET WOOD VINYL SEAL 2 1 LIVING ROOM 2 1 KITCHEN 2 1 HALL/FOYER 2 BATHROOM (S) 3 2 BEDROOM(S) 2 1 LAUNDRY 2 2 MECHANICAL ROOM 2 5 ** 1/2" x 3/4" base shoe molding all wood base areas except where carpet is selected. SIDING COLOR: Sable Brown SHAKE COLOR: Autumn Red SHINGLE COLOR: Barkwood METAL TRIM COLOR: Brown SHUTTER COLOR: 027 Burgundy Red GARAGE DOOR COLOR: Brown SHEET VINYL STYLE AND COLOR: 58021 Sunstone CERAMIC TILE: Café VINYL BASE COLOR: 80 Fawn METAL ROOFING: Patriot Red COUNTERTOP STYLE AND COLOR: 7732-58 Butterum Granite STAIN COLOR: English Chestnut 233 INTERIOR PAINT COLOR: Dover White WINDOW FRAME COLOR: Tan BRICK MOULD COLOR: Brown ENTRY DOOR COLOR: Autumn Red ENTRY DOOR FRAME: Bronze

TRIM BOARD & COLUMN WRAP: Autumn Red

DATE:

STORM DOOR:

CONTRACTOR SIGNATURE:

Brown

LOT INFORMATION: Lot 5, Block 1 of ZOIII; Fee ADDRESS (IF KNOWN): 2511 Giizhik Circle PLAN NAME: Blue Spruce Garage Left FOUNDATION TYPE: S.O.G. FULL BASEMENT LOOK-OUT WALK-OUT HOME TYPE: ELDER ADA ACCESSIBLE STANDARD/ RENTAL GARAGE: YES NO OPENER: YES NO PATIO SLAB SIZE: 12' x 12' WATER SOFTENER: YES NO DISHWASHER: YES NO* WASHER / DRYER: YES NO WINDOW TRIM: WOOD S/R W/ MARBLE SILL DUCTWORK: <u>STANDARD</u> TRANSITE IN-FLOOR OFF PEAK ELECTRIC: YES NO INTERIOR DOORS: FLUSH 6-PANEL INTERIOR FRAMES: STEEL WOOD BEDROOM CLOSET DOORS: S/R OPENING **DOORS** * If no dishwasher, install 24" removable base cabinet. Rough-in for dishwasher. **ROOM NAME FLOOR BASE** CONC. **CERAMIC TIL** VINYL PLANK VINYL CARPET SEALED SHEET WOOD 2 4 1 LIVING ROOM 2 1 KITCHEN 2 1 HALL/FOYER 1 BATHROOM (S) 3 2 BEDROOM(S) 1 1 LAUNDRY 2 2 MECHANICAL ROOM 5 2 ** 1/2" x 3/4" base shoe molding all wood base areas except where carpet is selected. SIDING COLOR: Spruce SHAKE COLOR: Autumn Red SHINGLE COLOR: Weathered Wood METAL TRIM COLOR: Clay SHUTTER COLOR: 027 Burgundy Red GARAGE DOOR COLOR: Sandstone SHEET VINYL STYLE AND COLOR: 58021 Sunstone CARPET: 738 Stone VINYL BASE COLOR: 80 Fawn METAL ROOFING: Patriot Red COUNTERTOP STYLE AND COLOR: 7732-58 Butterum Granite STAIN COLOR: English Chestnut 233 INTERIOR PAINT COLOR: Dover White WINDOW FRAME COLOR: Sandlewood BRICK MOULD COLOR: Sandstone

ENTRY DOOR FRAME: Sandstone

DATE:

TRIM BOARD & COLUMN WRAP: Autumn Red

ENTRY DOOR COLOR: Autumn Red

Almond

STORM DOOR:

CONTRACTOR SIGNATURE:

LOT INFORMATION: Lot 3, Block 3, ZOIII; Fee ADDRESS (IF KNOWN): 2331 Giizhik Circle PLAN NAME: Butternut Garage Right FOUNDATION TYPE: S.O.G. FULL BASEMENT LOOK-OUT WALK-OUT HOME TYPE: ELDER ADA ACCESSIBLE STANDARD/ RENTAL GARAGE: YES NO OPENER: YES NO PATIO SLAB SIZE: 12' x 12' WATER SOFTENER: YES NO DISHWASHER: YES NO* NO WASHER / DRYER: YES WINDOW TRIM: WOOD S/R W/ MARBLE SILL DUCTWORK: STANDARD TRANSITE IN-FLOOR OFF PEAK ELECTRIC: YES INTERIOR DOORS: FLUSH 6-PANEL INTERIOR FRAMES: STEEL WOOD BEDROOM CLOSET DOORS: S/R OPENING **DOORS** * If no dishwasher, install 24" removable base cabinet. Rough-in for dishwasher. **ROOM NAME FLOOR** BASE CONC. **ZINIX VINYL PLANK** CERAMIC SEALED CARPET SHEET WOOD 2 4 3 LIVING ROOM 2 1 KITCHEN 2 1 HALL/FOYER 2 1 BATHROOM (S) 3 2 BEDROOM(S) 1 1 LAUNDRY 2 2 MECHANICAL ROOM 2 5 ** 1/2" x 3/4" base shoe molding all wood base areas except where carpet is selected. SIDING COLOR: Natural Clay SHAKE COLOR: Ivy Green SHINGLE COLOR: Slate METAL TRIM COLOR: Heather

SHUTTER COLOR: 028 Forest Green GARAGE DOOR COLOR: Sandstone SHEET VINYL STYLE AND COLOR: 58024 Moonglow CARPET: 738 Stone VINYL BASE COLOR: 29 Moon Rock METAL ROOFING: Forest Green COUNTERTOP STYLE AND COLOR: 7732-58 Butterum Granite STAIN COLOR: Early American 230 INTERIOR PAINT COLOR: Dover White WINDOW FRAME COLOR: Sandlewood BRICK MOULD COLOR: Sandstone ENTRY DOOR COLOR: Ivy Green ENTRY DOOR FRAME: Sandstone STORM DOOR: Almond TRIM BOARD & COLUMN WRAP: Ivy Green CONTRACTOR SIGNATURE: DATE:

LOT INFORMATION: Lot 4, Block 3 of ZOIII; Fee

ADDRESS (IF KNOWN): 2315 Giizhik Circle

PLAN NAME: Poplar Garage Right

FOUNDATION TYPE: S.O.G. FULL BASEMENT LOOK-OUT WALK-OUT

HOME TYPE: ELDER ADA ACCESSIBLE STANDARD/ RENTAL

GARAGE: YES NO OPENER: YES NO

PATIO SLAB SIZE: 12' x 12'

WATER SOFTENER: YES NO* DISHWASHER: YES NO*

WASHER / DRYER: YES NO WINDOW TRIM: WOOD S/R W/ MARBLE SILL

DUCTWORK: <u>STANDARD</u> TRANSITE IN-FLOOR OFF PEAK ELECTRIC: YES <u>NO</u>

INTERIOR DOORS: FLUSH <u>6-PANEL</u> INTERIOR FRAMES: STEEL <u>WOOD</u>
BEDROOM CLOSET DOORS: <u>S/R OPENING</u> DOORS

* If no dishwasher, install 24" removable base cabinet. Rough-in for dishwasher.

ROOM NAME		FLOOR				BASE		
	CARPET	SHEET VINYL	CERAMIC TILE	VINYL PLANK	SEALED CONC.	моор	VINYL	NONE
	1	2	3	4	5	1	2	3
LIVING ROOM	Т	2	1			1		
KITCHEN		2				1		
HALL/FOYER		2				1		
BATHROOM (S)	Т		3				2	
BEDROOM(S)	1					1		
LAUNDRY		2					2	
MECHANICAL ROOM					5		2	

** 1/2" x 3/4" base shoe molding all wood base areas except where carpet is selected.

SIDING COLOR: Green Tea SHAKE COLOR: Ivy Green

SHINGLE COLOR: Slate METAL TRIM COLOR: Heather

SHUTTER COLOR: 008 Clay GARAGE DOOR COLOR: Sandstone

SHEET VINYL STYLE AND COLOR: 58024 Moonglow CARPET: 846 Mineral

VINYL BASE COLOR: 29 Moon Rock METAL ROOFING: Forest Green

COUNTERTOP STYLE AND COLOR: 7732-58 Butterum Granite

STAIN COLOR: Natural 209 INTERIOR PAINT COLOR: Dover White

WINDOW FRAME COLOR: Sandlewood BRICK MOULD COLOR: Sandstone

ENTRY DOOR COLOR: Natural Clay ENTRY DOOR FRAME: Sandstone

STORM DOOR: Almond TRIM BOARD & COLUMN WRAP: Natural Clay

CONTRACTOR SIGNATURE: DATE: